

Printing date 11/22/2018

Reviewed on 11/22/2018

1 Identification

- · Product identifier
- · Trade name: FotoDent Gingiva 385 nm
- · Application of the substance / the mixture

Material based on methacrylate resin for DLP-systems with UV LED 385 nm for the manufacturing of gingiva masks

- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Dreve Dentamid GmbH Max-Planck-Straße 31 59423 Unna / Germany Tel.: + 49 2303 / 8807-0

Tel.: + 49 2303 / 8807-0 Fax.: +49 2303 / 8807-55

· Information department:

Department Research & Development

Fax.: +49 2303 8807-562

Email: sicherheitsdatenblatt@dreve.de

· Emergency telephone number:

+49 211 797-3350

Plant Fire Department Henkel

2 Hazard(s) identification

· Classification of the substance or mixture



GHS07

Eye Irrit. 2A H319 Causes serious eye irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

Flam. Liq. 4 H227 Combustible liquid.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS07

- · Signal word Warning
- · Hazard-determining components of labeling:

Aliphatic difunctional Urethane Acrylate Urethane acrylate in HPMA phenyl bis(2,4,6-trimethylbenzoyl)-phosphineoxide Pigments

· Hazard statements

Combustible liquid.

Causes serious eye irritation.

May cause an allergic skin reaction.

Precautionary statements

Keep away from flames and hot surfaces. - No smoking.

(Contd. on page 2)



Printing date 11/22/2018

Reviewed on 11/22/2018

Trade name: FotoDent Gingiva 385 nm

(Contd. of page 1)

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves / eye protection / face protection.

If experiencing respiratory symptoms: Call a poison center/doctor.

Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- Classification system:
- · NFPA ratings (scale 0 4)



Health = 2Fire = 2Reactivity = 0

· HMIS-ratings (scale 0 - 4)



Health = 2Fire = 2

- Other hazards
- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable. · vPvB: Not applicable.

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of the substances listed below with nonhazardous additions.

	· Dangerous components:			
Г	Aliphatic difunctional Urethane Acrylate			
		Urethane acrylate in HPMA	10-25%	
Г	29964-84-9	isodecyl methacrylate	2.5-10%	
	162881-26-7	phenyl bis(2,4,6-trimethylbenzoyl)-phosphineoxide	≤2.5%	
		Pigments	≤2.5%	

· Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

- Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

· After swallowing:

Do not induce vomiting.

Call a doctor immediately.

- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed

No further relevant information available.

(Contd. on page 3)



Printing date 11/22/2018 Reviewed on 11/22/2018

Trade name: FotoDent Gingiva 385 nm

(Contd. of page 2)

· Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant

- · For safety reasons unsuitable extinguishing agents: Water with full jet
- · Special hazards arising from the substance or mixture

No further relevant information available.

- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Avoid contact with skin and eyes.

· Environmental precautions:

Do not allow product to reach sewage system or any water course.

Inform respective authorities in case of seepage into water course or sewage system.

Do not allow to enter sewers/ surface or ground water.

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

· Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

· Protective Action Criteria for Chemicals

· PAC-1:

None of the ingredients is listed.

· PAC-2:

None of the ingredients is listed.

· PAC-3:

None of the ingredients is listed.

7 Handling and storage

- · Handling:
- · Precautions for safe handling

Avoid contact with skin and eyes.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- · Requirements to be met by storerooms and receptacles: Protect from heat and direct sunlight.

(Contd. on page 4)



Printing date 11/22/2018 Reviewed on 11/22/2018

Trade name: FotoDent Gingiva 385 nm

(Contd. of page 3)

- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

Protective gloves should be changed regularly, especially after intensive contact with the product. For every workplace a suitable type of protective gloves must be selected.

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Material of gloves

Butyl rubber, BR

As there are many different conditions in every day work these indications can only serve as an aid to orientation for the selection of suitable gloves for the handling of chemical products. By no means they can replace qualifying examinations by the end-user.

Diese Empfehlung gilt nur für das im Sicherheitsdatenblatt genannte Produkt. Bei Vermischung mit anderen Substanzen und bei von der EN 374 abweichenden Bedingungen müssen Sie sich an den Hersteller von CE-genehmigten Handschuhen wenden.

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break trough time has to be found out by the manufacturer of the protective gloves and has to be observed.

The determined penetration times according to EN 374 part III are not performed under practical conditions. Therefore a maximum wearing time, which corresponds to 50% of the penetration time, is recommended.

(Contd. on page 5)



(Contd. of page 4)

Printing date 11/22/2018 Reviewed on 11/22/2018

Trade name: FotoDent Gingiva 385 nm

· Eye protection:



Tightly sealed goggles

· Body protection: Protective work clothing

9 Physical and chemical properties

٠	Intorma	tion	on basic	physical	and o	chemical	properties

· General Information

· Appearance:

· pH-value:

Form: Fluid

Color: Pink-opaque
Odor: Characteristic
Odor threshold: Not determined.

· Change in condition

Melting point/Melting range: Undetermined.

Boiling point/Boiling range: 263 °C (505.4 °F)

· Flash point: 70 °C (158 °F)

· Flammability (solid, gaseous): Not applicable.

· Ignition temperature: 260 °C (500 °F)

· Decomposition temperature: Not determined.

· Auto igniting: Product is not selfigniting.

Not determined.

• Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

Lower: Not determined.

Upper: Not determined.

Oxidizing properties Not determined

· Vapor pressure: Not determined.

• Density at 20 °C (68 °F): 1.02 g/cm³ (8.5119 lbs/gal)

Relative density
Vapor density
Evaporation rate
Not determined.
Not determined.
Not determined.

· Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined.
Kinematic: Not determined.

· Solvent content:

Solids content: 0.0 %

(Contd. on page 6)



Printing date 11/22/2018 Reviewed on 11/22/2018

Trade name: FotoDent Gingiva 385 nm

(Contd. of page 5)

· Other information

No further relevant information available.

10 Stability and reactivity

- · Reactivity No dangerous reactions if used according to specifications
- · Chemical stability Stable if used according to specifications
- · Thermal decomposition / conditions to be avoided:

Protect from heat and direct sunlight.

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:

· LD/LC50 values that are relevant for classification:			
29964-84-9 isodecyl methacrylate			
Oral	LD50	>5,000 mg/kg (rat)	
Dermal	LD50	>3,000 mg/kg (rabbit)	

- Primary irritant effect:
- · on the eye: Irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- · Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

İrritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish

(Contd. on page 7)



Printing date 11/22/2018 Reviewed on 11/22/2018

Trade name: FotoDent Gingiva 385 nm

(Contd. of page 6)

- · Additional ecological information:
- · General notes:

Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

Also poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- · Results of PBT and vPvB assessment
- · **PBT**: Not applicable.
- · **vPvB:** Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Disposal must be made according to official regulations.

- · Uncleaned packagings:
- · Recommendation: Disposal must be made according to official regulations.

4 Transport information	
· UN-Number	
· DOT	Void
· ADR, IMDG, IATA	UN3082
· UN proper shipping name	
· DOT	Void
· ADR	3082 UMWELTGEFÄHRDENDER STOFF FLÜSSIG, N.A.G. (Isodecylmethacrylat)
· IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S. (isodecyl methacrylate), MARINI POLLUTANT
·IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE LIQUID, N.O.S. (isodecyl methacrylate)
· Transport hazard class(es)	
· DOT	
· Class	Void
· ADR, IMDG, IATA	
· Class	9 Miscellaneous dangerous substances and articles
· Label	9
· Packing group	
· DOT	Void
· ADR, IMDG, IATA	III

(Contd. on page 8)



Printing date 11/22/2018 Reviewed on 11/22/2018

Trade name: FotoDent Gingiva 385 nm

	(Contd. of page		
· Environmental hazards:			
· Marine pollutant:	Yes		
•	Symbol (fish and tree)		
· Special marking (ADR):	Symbol (fish and tree)		
· Special marking (IATA):	Symbol (fish and tree)		
· Special precautions for user	Warning: Miscellaneous dangerous substances ar		
	articles		
· Danger code (Kemler):	90		
· EMS Number:	F-A,S-F		
· Stowage Category	A		
Fransport in bulk according to Annex II of			
MARPOL73/78 and the IBC Code	Not applicable.		
 Marine pollutant: Special marking (ADR): Special marking (IATA): Special marking (IATA): Special precautions for user Special precautions for user Danger code (Kemler): Danger code (Kemler): EMS Number: Stowage Category Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Transport/Additional information: ADR Excepted quantities (EQ) IMDG Limited quantities (LQ) Excepted quantities (EQ) Code: E1 Maximum net quantity Maximum net quantity IMDG Limited quantities (EQ) Code: E1 Maximum net quantity 			
· ADR			
· Excepted quantities (EQ)	Code: E1		
	Maximum net quantity per inner packaging: 30 ml		
	Maximum net quantity per outer packaging: 1000 n		
· IMDG			
· Limited quantities (LQ)	5L		
	Code: E1		
. ,	Maximum net quantity per inner packaging: 30 ml		
	Maximum net quantity per outer packaging: 1000 r		
. IIN "Model Regulation":	Void		

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

mixture			
· Sara			

None of the ingredient is listed.

· Section 313 (Specific toxic chemical listings):

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

· TSCA new (21st Century Act) (Substances not listed)

All ingredients are listed.

· Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

(Contd. on page 9)



Printing date 11/22/2018 Reviewed on 11/22/2018

Trade name: FotoDent Gingiva 385 nm

(Contd. of page 8)

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Cancerogenity categories

· EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients is listed.

· MAK (German Maximum Workplace Concentration)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



GHS07

· Signal word Warning

· Hazard-determining components of labeling:

Aliphatic difunctional Urethane Acrylate

Urethane acrylate in HPMA

phenyl bis(2,4,6-trimethylbenzoyl)-phosphineoxide

Pigments

· Hazard statements

Combustible liquid.

Causes serious eye irritation.

May cause an allergic skin reaction.

· Precautionary statements

Keep away from flames and hot surfaces. – No smoking.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves / eye protection / face protection.

If experiencing respiratory symptoms: Call a poison center/doctor.

Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Department Research & Development
- · Contact: Dr. Thomas Veit, Lothar Sutor
- · Date of preparation / last revision 11/22/2018 / 2
- · Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

(Contd. on page 10)



Printing date 11/22/2018

Reviewed on 11/22/2018

(Contd. of page 9)

Trade name: FotoDent Gingiva 385 nm

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value
PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 4: Flammable liquids – Category 4

Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A

Skin Sens. 1: Skin sensitisation - Category 1

* Data compared to the previous version altered.

US